

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/436,620	11/09/1999	BRUCE E. JOHNSON	SVX-P001	6904
21833	7590 08/05/2003			
BOULDER PATENT SERVICE INC			EXAMINER	
	1021 GAPTER ROAD BOULDER, CO 803032924		LEVITAN,	DMITRY
			ART UNIT	PAPER NUMBER
		*	2662	2
			DATE MAILED: 08/05/2003	,

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	09/436,620	JOHNSON ET AL.				
Office Action Summary	Examiner	Art Unit				
	Dmitry Levitan	2662				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on						
2a) This action is FINAL . 2b) Thi	s action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) 1-126 is/are pending in the application						
4a) Of the above claim(s) is/are withdraw	vn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
8)⊠ Claim(s) <u>1-126</u> are subject to restriction and/or Application Papers	election requirement.					
9) The specification is objected to by the Examiner						
10) The drawing(s) filed on is/are: a) accep		miner				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents	2. Certified copies of the priority documents have been received in Application No					
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language prov 15)☐ Acknowledgment is made of a claim for domestic	visional application has been rec	eived.				
Attachment(s)	,,					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal F	r (PTO-413) Paper No(s) Patent Application (PTO-152)				
						

Art Unit: 2662

DETAILED ACTION

Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - Claims 1-50, drawn to Performance monitoring for fault avoidance, classified in class 714, subclass 47.
 - II. Claims 51-57, drawn to Check character detection technique, classified in class714, subclass 807.
 - III. Claims 58-62, 63-65, 98-102, 119-121, 122, drawn to Test sequence at power-up or initialization, classified in class 714, subclass 36.
 - IV. Claims 66-69, drawn to Peripheral device component fault, classified in class 714, subclass 44.
 - V. Claims 70-71, drawn to Reliability enhancing component (fault injection),
 classified in class 714, subclass 41.
 - VI. Claims 72-91, 92-97, 108-110, drawn to Monitor recognize sequence of events, classified in class 714, subclass 39.
 - VII. Claims 103-107, 123-126, drawn to network configuration determination, classified in class 370, subclass 254.
 - VIII. Claims 111-114, drawn to Missing-bit/drop-out detection, classified in class 714, subclass 818.
 - IX. Claims 115-118, drawn to Forbidden combination or improper condition, classified in class 714, subclass 811.

Art Unit: 2662

2. Inventions of group I and groups II-IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group I has separate utility such as performance monitoring for fault avoidance, which does not necessarily requires the particulars Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing –bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.

- 3. Inventions of group II and groups I, III-IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group II has separate utility such as Check character detection, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing –bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.
- 4. Inventions of group III and groups I, II, IV-IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group III has separate

Art Unit: 2662

utility such as Test sequence at power-up, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing -bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.

- Inventions of group IV and groups I-III, V-IX are related as subcombinations disclosed as 5. usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group IV has separate utility such as Peripheral device component fault, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing -bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.
- Inventions of group V and groups I-IV, VI-IX are related as subcombinations disclosed 6. as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group V has separate utility such as Reliability enhancing component, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Monitor recognizes sequence of events of group VI, or network configuration

Art Unit: 2662

determination of group VII, or Missing -bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.

- 7. Inventions of group VI and groups I-V, VII-IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group VI has separate utility such as Monitor recognizes sequence of events, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing –bit/dropout detection of group VIII or Forbidden combination or improper condition of group IX.
- 8. Inventions of group VII and groups I-VI, VIII-IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group VII has separate utility such as network configuration determination, which does not necessarily requires the particulars performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or Missing –bit/drop-out detection of group VIII or Forbidden combination or improper condition of group IX.
- 9. Inventions of group VIII and groups I-VII, IX are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if

Art Unit: 2662

they are shown to be separately usable. In the instant case, invention of group VIII has separate utility such as Missing -bit/drop-out detection, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Forbidden combination or improper condition of group IX.

- Inventions of group IX and groups I-VIII are related as subcombinations disclosed as 10. usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention of group IX has separate utility such as Forbidden combination or improper condition, which does not necessarily requires the particulars of performance monitoring for fault avoidance of group I, Check character detection of group II, or Test sequence at power-up of group III, or Peripheral device component fault of group IV, or Reliability enhancing component of group V, or Monitor recognizes sequence of events of group VI, or network configuration determination of group VII, or Missing -bit/drop-out detection of group VIII. See MPEP § 806.05(d).
- 11. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Art Unit: 2662

12. Because these inventions are distinct for the reasons given above and the search required for Group I is not required for Groups II-IX, etc, restriction for examination purposes as indicated is proper.

- 13. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.
- 14. A telephone call was made to Applicant Attorney Jay Beyer on 7/31/03 to request an oral election to the above restriction requirement, but did not result in an election being made.
- 15. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement is traversed (37 CFR 1.143).
- 16. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dmitry Levitan whose telephone number is 703-305-4384. The examiner can normally be reached on 8:30 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on 703-305-4744. The fax phone numbers for the

Art Unit: 2662

organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4750.

Dmitry Levitan Patent Examiner. July 31, 2003

HASSAN KIZOL

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600